LINK®

GEMINI SL

Fixed Bearing CR & PS

VERSATILITY. CONFIDENCE. HERITAGE

OUR JOB IS THE HE
SATISFACTION OF Y

EALTH, SAFETY, AND
OUR PATIENTS.

"Every human being is unique. A truly versatile implant system should strive to meet the needs of all of them."

Helmut D. Link

GEMINI SL

Total Knee System

GEMINI SL – a complete knee replacement system for greater versatility.

The GEMINI SL Knee System allows native joint reconstruction with extensive range of motion and good kinematics.[1-5] Primary stability is achieved through accurate fit of the femoral and tibial components, and due to proper choice from an extensive selection of sizes.

Successful **heritage**

More than **30 yrs** of product history*

More than **25 yrs** experience with anatomical tibia design**

1987: Mobile Bearing Total Anatomic Cementless Knee (T.A.C.K.)**

1991: GEMINI Knee System**

1997: GEMINI MK II Rotational Knee System**

2002: GEMINI SL

Remarkable **versatility**

2 configurations (Fixed Bearing CR and Fixed Bearing PS) and optional tibial stem extensions **allowing 70 versatile options** adress a wide range of patient anatomies and enable comprehensive treatment options.

Fixed Bearing CR | Fixed Bearing PS

95,5%
at 10 years[6]

Fully **anatomical system**

Tibial component

Asymmetric design with conforming articular surface

Asymmetric tibia

- Improved loading by maximal coverage[4]
- Improved rotational alignment[4]

Conformity

- Improved stability[4]
- Controlled guided motion

LINK PorEx Technology

More than 8 yrs* experience with TiNbN surface modification

- Release of metal ions[7]
- Ceramic-like surface[7]
- Outstanding hardness[7]

Restoring **native kinematics**

- **59°** engagement of the GEMINI SL post-cam mimics native knee[13]

Post Cam Engagement Angle
(degrees measured during squatting in different TKA designs[12])



Universal **confidence**

Functional designs for easy surgical success

- Physiological range of motion and functionality[1-5]
- High flex capability[12]

* Outside of the US

** Not available in the USA

LINK®

This publication is intended for distribution in the U.S. only

References

1 Thabe H., Dafferner-Franzmann M., Stening J. Auswirkungen verschiedener konstruktiver Prothesenmerkmale auf Langzeitergebnisse, Akt Rheumatol 2013;38.
2 Internal Data - Thabe H., Aspekte zum Konzept der beweglichen Tibiaplateaukonstruktion, April 2000.
3 Goodfellow J., O'Conner J. The Mechanics of the Knee and Prosthesis Design. J Bone Joint Surg Br 1978; 60:358-369
4 Martin S, Saurez A, Ismaily S, Ahfaq K, Noble P, Incavo S. Maximizing Tibial Coverage Is Detrimental to Proper Rotational Alignment. Clin Orthop Relat Res 2014; 472:121-125
5 Figgie HF, Davy DT, Heiple KG, Hart RT. Load-bearing Capacity of the Tibial Component of the Total Condylar Knee Prosthesis. Clin Orthop Relat Res 1984; 183: 288-297
6 https://ripo.cineca.it/pdf/relazione_2016_v19_inglese.pdf
7 Bader R., Berschmidt P., Fritsche A., Thomas P., Mittelmeier W. Alternative Werkstoffe und Lösungen in der Knieendoprothetik für Patienten mit Metallallergie. Orthopäde 2008; 37:136-142
8 Latest ODEP rating can be found as www.odep.org.uk
9 Internal Data – Innocenti B. GEMINI Mobile Bearing / Fixed Bearing CR – Biomechanical Analysis in healthy and deficient PCL patient, 2017
10 Bignozzi S, Zaffagnini S, Akkawi I, Marko T, Bruni D, Pia Neri M, Colle F, Marcacci M. Three different cruciate-sacrificing TKA designs: minor intraoperative kinematic differences and negligible clinical differences. Knee Surg Sports Traumatol Arhtosc 2014; 22:3113-3120
11 Interne Daten – Greenwald S. Classification of Mobile Bearing Knee Design: Mobility and Constraint, 2002
12 Interne Daten – Innocenti B.GEMINI SL Fixed Bearing PS – Biomechanical Analysis of the Post-Cam System, 2017
13 Toutoungi DE, Lu TW, Leardini A, Catani F, O'Connor JJ. Cruciate ligament forces in the human knee during rehabilitation exercises. Clin Biomech. 2000 Mar;15(3):176-87.
14 Insall JN. Historical Development, Classification, and Characteristics of Knee Prostheses. In Surgery of the Knee 2nd Edition, John N. Insall Ed.; Churchill Livingstone, 1993

Waldemar Link GmbH & Co. KG and/or other corporate affiliated entities own, use or have applied for the following trademarks in many jurisdictions: LINK®, GEMINI® SL®, PorEX®

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners.

Waldemar Link GmbH & Co. KG

Barkhausenweg 10 · 22339 Hamburg, Germany
Phone +49 (0)40 53995-0 · info@linkhh.de
www.linkorthopaedics.com

737_GEMINI SL_Teaser_us_2019-08_002